



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/534,869

05/12/2005

Shinichi Yoshizawa

2005_0601A

6797

513 7590 06/17/2008

WENDEROTH, LIND & PONACK, L.L.P.

2033 K STREET N. W.

SUITE 800

WASHINGTON, DC 20006-1021

EXAMINER

YEN, ERIC L

ART UNIT

PAPER NUMBER

2626

MAIL DATE

DELIVERY MODE

06/17/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/534,869	Applicant(s) YOSHIZAWA, SHINICHI	
	Examiner ERIC YEN	Art Unit 2626	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 March 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 26-56 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 26-56 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. In response to the Office Action mailed 12/17/07, applicant has submitted an amendment filed 3/17/08.

Claims 26-42 and 44-48 have been amended. New Claims 48-56 have been added.

Response to Arguments

2. Applicant's arguments with respect to claims 26-56 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 26-36, 40-50, and 52-56, are rejected under 35 U.S.C. 103(a) as being unpatentable over Chang (US 2003/0171931), in view of Nguyen et al. (US 6,263,309), hereafter Nguyen.

As per Claim 26, Chang teaches a standard model creating apparatus for creating a standard model which shows an acoustic characteristic having a specific

attribute and is used for speech recognition, the standard model creating apparatus using a model that expresses a frequency parameter showing an acoustic characteristic ("recognition model... acoustic model... customized to a user", paragraph 1; "frequencies", paragraph 67), the standard model creating apparatus comprising:

a reference model storing unit operable to store a plurality of reference models which are models showing an acoustic characteristic having a specific attribute ("plurality of different cohort models", paragraph 40; "enrollment data", paragraph 39; "selects the speakers... closest to enrollment data", paragraph 42)

a reference model selecting unit operable to select at least one reference model from among the plurality of reference models stored in said reference model storing unit based on usage information regarding an attribute which is an object of speech recognition, ("plurality of different cohort models", paragraph 40; "enrollment data", paragraph 39; "selects the speakers... closest to enrollment data", paragraph 42; "top N possible cohort models", paragraph 51; where the speaker's voice qualities are attributes that are targeted by speaker dependent recognizers)

a standard model creating unit operable to create the standard model by calculating parameters of the standard model using parameters of the at least one reference model selected by said reference model selection unit ("parameters for possible cohorts are generated", paragraph 53; "modifies the parameters... using the parameters in the... cohort models", paragraph 57)

wherein said standard model creating unit includes: a standard model structure determining unit operable to determine a structure of the standard model which is to be

created ("parameters for possible cohorts are generated", paragraph 53; "modifies the parameters... using the parameters in the... cohort models", paragraph 57)

an initial standard model creating unit operable to determine initial values of the parameters specifying the standard model whose structure has been determined ("parameters for possible cohorts are generated", paragraph 53; "modifies the parameters... using the parameters in the... cohort models", paragraph 57)

a parameter estimating unit operable to estimate and calculate the parameters of the standard model so as to maximize or locally maximize a probability or likelihood of the standard model, whose initial values have been determined, with respect to the at least one reference model ("parameters for possible cohorts are generated", paragraph 53; "modifies the parameters... using the parameters in the... cohort models", paragraph 57; "likelihood", paragraph 55)

Chang fails to teach the standard model creating apparatus using a probability model that expresses a frequency parameter showing an acoustic characteristic as an output probability, where the reference models are probability models, where the parameters are statistics

Nguyen teaches the standard model creating apparatus using a probability model that expresses a frequency parameter showing an acoustic characteristic as an output probability, where the reference models are probability models, where the parameters are statistics ("training speakers... speaker dependent [SD] models", col. 4, lines 38-52; "supervector for each speaker comprises an ordered list of parameters... corresponding to at least a portion of the parameters of the Hidden Markov models", col. 4, lines 53-64;

"new speaker... compute statistics... each sound unit", col. 5, lines 42-56; "HMM... observable outputs... transition probabilities", col. 3, lines 17-43; "Gaussian distributions... probability distribution... Gaussian function... parameter-based speech modeling", col. 4, lines 3-36; "Alabama female accent", col. 7, lines 5-13; where parameters generally include frequency parameters when analyzing speech [speech is acoustic]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify Chang to include the teaching of Nguyen of the standard model creating apparatus using a probability model that expresses a frequency parameter showing an acoustic characteristic as an output probability, where the reference models are probability models, where the parameters are statistics, in order to facilitate quick speaker adaptation of models, as described by Nguyen (col. 1, lines 7-10; col. 1, lines 60-66).

As per Claim 27, Chang teaches usage information creating unit operable to create the usage information, wherein said reference selecting unit is operable to select the at least one reference model from among the plurality of reference models stored in said reference model storing unit, based on the created usage information ("recognition model... acoustic model... customized to a user", paragraph 1; "enrollment data", paragraph 39; "selects the speakers... closest to enrollment data", paragraph 42).

As per Claim 28, Chang suggests wherein the standard model creating apparatus is connected to a terminal apparatus via a communication channel, and further comprises: a usage information receiving unit operable to receive the usage information from the terminal apparatus, wherein said reference model selecting unit is operable to select at least one reference model from among the plurality of reference models stored in said reference model storing unit, based on the received usage information ("input speech samples", paragraph 39; "remote computer", paragraph 34; "recognition model... acoustic model... customized to a user", paragraph 1; "enrollment data", paragraph 39; "selects the speakers... closest to enrollment data", paragraph 42; where the input speech receiving device can be a terminal)

As per Claim 29, the limitations are similar to those in Claim 26, and so is rejected under similar rationale.

As per Claim 30, Chang teaches wherein the specification information shows at least one of a type of an application program which uses the standard model, and specifications of an apparatus which uses the standard model ("recognition model... acoustic model... customized to a user", paragraph 1; where the user that the system is customized to is a specification of a speaker dependent apparatus)

As per Claim 31, Chang teaches wherein the attribute includes information regarding at least one of an age, gender, a texture of a speaker's voice, a tone of voice

changed with emotions or health condition, a speaking rate, civility in utterance, a dialect, a type of background noise, loudness of background noise, an S/N ratio between speech and background noise, a microphone quality, and a degree of complexity in recognizable vocabulary ("recognition model... acoustic model... customized to a user", paragraph 1; customizing a model to be speaker dependent requires adapting to a speaker's voice qualities, including a texture of the voice and the gender).

As per Claim 32, Chang suggests a specification information holding unit operable to store an application/specifications correspondence database showing a correspondence between an application program which uses the standard model and specifications of the standard model, wherein said standard model structure determining unit is operable to read specifications corresponding to an application program to be activated from the application/specifications correspondence database held by said specification information holding unit, and to determine the structure of the standard model based on the read specifications ("recognition model... acoustic model... customized to a user", paragraph 1; "parameters for possible cohorts are generated", paragraph 53; "modifies the parameters... using the parameters in the... cohort models", paragraph 57; where it is known that computers have multiple users, and so it is obvious to store some sort of correspondence between the different users and their respective models, and to use the correct model when a corresponding user desires to use the recognition system).

As per Claim 33, Chang teaches a specification information creating unit operable to create the specification information, wherein said model structure determining unit is operable to determine the structure of the standard model based on the created specification information (“recognition model... acoustic model... customized to a user”, paragraph 1; where knowledge of the user who the model is to be adapted for is obvious to indicate to the system).

As per Claim 34, the limitations are similar to those in Claim 28, and so is rejected under similar rationale.

As per Claim 35, Chang fails to teach wherein the at least one reference model and the standard model are expressed using at least one Gaussian distribution, and said standard model structure determining unit is operable to determine at least a number of Gaussian mixture distributions as the structure of the standard model.

Nguyen suggests wherein the at least one reference model and the standard model are expressed using at least one Gaussian distribution, and said standard model structure determining unit is operable to determine at least a number of Gaussian mixture distributions as the structure of the standard model (“training speakers... speaker dependent [SD] models”, col. 4, lines 38-52; “supervector for each speaker comprises an ordered list of parameters... corresponding to at least a portion of the parameters of the Hidden Markov models”, col. 4, lines 53-64; “new speaker... compute

statistics... each sound unit", col. 5, lines 42-56; "HMM... observable outputs... transition probabilities", col. 3, lines 17-43; "Gaussian distributions... probability distribution... Gaussian function... parameter-based speech modeling", col. 4, lines 3-36; "Alabama female accent", col. 7, lines 5-13; where Nguyen teaches the use of Gaussians in hidden markov models and so suggests where the Gaussians are what are adapted in a model)

Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify Chang to include the teaching of Nguyen of the standard model creating apparatus using a probability model that expresses a frequency parameter showing an acoustic characteristic as an output probability, where the reference models are probability models, where the parameters are statistics, in order to facilitate quick speaker adaptation of models, as described by Nguyen (col. 1, lines 7-10; col. 1, lines 60-66).

As per Claim 36, the limitations are similar to those in Claims 26 and 35, and so is rejected under similar rationale.

As per Claim 40 and 52, the limitations are similar to those in Claim 26, and so is rejected under similar rationale (where the class the set of users that sound similar to the user).

As per Claim 41, Chang teaches wherein said initial model creating unit is operable to specify the class ID from the at least one reference model and to determine initial values associated with the specified ID as the initial values ("plurality of different cohort models", paragraph 40; "enrollment data", paragraph 39; "selects the speakers... closest to enrollment data", paragraph 42; "top N possible cohort models", paragraph 51).

As per Claim 42, the limitations are similar to those in Claim 32, and so is rejected under similar rationale.

As per Claim 43, Chang suggests wherein said initial standard model creating unit is operable to generate the correspondence table by creating, or by obtaining from an outside source, an initial standard model with a class ID, that is, initial values associated with the class ID, or a reference model with a class ID, that is a reference model associated with the class ID ("recognition model... acoustic model... customized to a user", paragraph 1; "parameters for possible cohorts are generated", paragraph 53; "modifies the parameters... using the parameters in the... cohort models", paragraph 57; where it is known that computers have multiple users, and so it is obvious to store some sort of correspondence between the different users and their respective models, and to store a label for each different user to know which model to use).

As per Claims 44-45, 48, and 53-54, their limitations are similar to those in Claim 26, and so are rejected under similar rationale.

As per Claim 46-47, 49, and 55-56, their limitations are similar to those in Claim 29, and so are rejected under similar rationale.

As per Claim 50, the limitations are similar to those in Claim 36, and so is rejected under similar rationale.

5. Claims 37-38, and 51 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chang, in view of Nguyen and Junqua (US 6,253,181).

As per Claim 37, Chang teaches a standard model creating apparatus for creating a standard model which shows an acoustic characteristic having a specific attribute and is used for speech recognition, the standard model creating apparatus using a model that expresses a frequency parameter showing an acoustic characteristic ("recognition model... acoustic model... customized to a user", paragraph 1;

"frequencies", paragraph 67), the standard model creating apparatus comprising:

a reference model storing unit operable to store a plurality of reference models which are models showing an acoustic characteristic having a specific attribute ("plurality of different cohort models", paragraph 40; "enrollment data", paragraph 39; "selects the speakers... closest to enrollment data", paragraph 42)

a reference model preparing unit operable to perform at least one of obtaining a reference model from an outside source and storing the obtained reference model in said reference model storing unit, and creating a new reference model and storing the new reference model in said reference model storing unit ("parameters for possible cohorts are generated", paragraph 53; "modifies the parameters... using the parameters in the... cohort models", paragraph 57)

a reference model selecting unit operable to select at least one reference model from among the plurality of reference models stored in said reference model storing unit based on usage information regarding an attribute which is an object of speech recognition, ("plurality of different cohort models", paragraph 40; "enrollment data", paragraph 39; "selects the speakers... closest to enrollment data", paragraph 42; "top N possible cohort models", paragraph 51; where the speaker's voice qualities are attributes that are targeted by speaker dependent recognizers)

a standard model creating unit operable to create the standard model by calculating parameters of the standard model using parameters of the at least one reference model selected by said reference model selection unit ("parameters for possible cohorts are generated", paragraph 53; "modifies the parameters... using the parameters in the... cohort models", paragraph 57)

wherein said standard model creating unit includes: a standard model structure determining unit operable to determine a structure of the standard model which is to be created ("parameters for possible cohorts are generated", paragraph 53; "modifies the parameters... using the parameters in the... cohort models", paragraph 57)

an initial standard model creating unit operable to determine initial values of the parameters specifying the standard model whose structure has been determined ("parameters for possible cohorts are generated", paragraph 53; "modifies the parameters... using the parameters in the... cohort models", paragraph 57)

a parameter estimating unit operable to estimate and calculate the parameters of the standard model so as to maximize or locally maximize a probability or likelihood of the standard model, whose initial values have been determined, with respect to the at least one reference model ("parameters for possible cohorts are generated", paragraph 53; "modifies the parameters... using the parameters in the... cohort models", paragraph 57; "likelihood", paragraph 55)

Chang fails to teach the standard model creating apparatus using a probability model that expresses a frequency parameter showing an acoustic characteristic as an output probability, where the reference models are probability models, where the parameters are statistics.

Nguyen teaches the standard model creating apparatus using a probability model that expresses a frequency parameter showing an acoustic characteristic as an output probability, where the reference models are probability models, where the parameters are statistics ("training speakers... speaker dependent [SD] models", col. 4, lines 38-52; "supervector for each speaker comprises an ordered list of parameters... corresponding to at least a portion of the parameters of the Hidden Markov models", col. 4, lines 53-64; "new speaker... compute statistics... each sound unit", col. 5, lines 42-56; "HMM... observable outputs... transition probabilities", col. 3, lines 17-43; "Gaussian

Art Unit: 2626

distributions... probability distribution... Gaussian function... parameter-based speech modeling”, col. 4, lines 3-36; “Alabama female accent”, col. 7, lines 5-13; where parameters generally include frequency parameters when analyzing speech [speech is acoustic])

Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify Chang to include the teaching of Nguyen of the standard model creating apparatus using a probability model that expresses a frequency parameter showing an acoustic characteristic as an output probability, where the reference models are probability models, where the parameters are statistics, in order to facilitate quick speaker adaptation of models, as described by Nguyen (col. 1, lines 7-10; col. 1, lines 60-66).

Chang, in view of Nguyen, fail to teach at least one of updating and adding to the plurality of reference models stored in said reference model storing unit.

Junqua teaches at least one of updating and adding to the plurality of reference models stored in said reference model storing unit (“adapted speech model”, col. 3, lines 12-28; “further adapted model”, col. 7, lines 42-50; “supplies utterances...performs speech recognition... passed by the dialogue system to adaptation system”, col. 4, lines 24-36).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify Chang, in view of Nguyen, to include the teaching of Junqua of at least one of updating and adding to the plurality of reference models stored in said

reference model storing unit, in order to ensure that the system's models stay consistent with any changes to the user, as described by Junqua (col. 7, lines 42-50).

As per Claim 38, Chang, in view of Nguyen, fail to teach wherein said reference model preparing unit is operable to perform at least one of an update and an addition to the plurality of reference models stored in said reference model storing unit, based on at least one of usage information regarding an object of recognition, and specification information regarding specifications of the standard model which is to be created.

Junqua teaches wherein said reference model preparing unit is operable to perform at least one of an update and an addition to the plurality of reference models stored in said reference model storing unit, based on at least one of usage information regarding an object of recognition, and specification information regarding specifications of the standard model which is to be created ("adapted speech model", col. 3, lines 12-28; "further adapted model", col. 7, lines 42-50; "supplies utterances...performs speech recognition... passed by the dialogue system to adaptation system", col. 4, lines 24-36; where the specific user whose model is updated is usage information for the corresponding models [objects of recognition]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify Chang, in view of Nguyen, to include the teaching of Junqua of wherein said reference model preparing unit is operable to perform at least one of an update and an addition to the plurality of reference models stored in said reference model storing unit, based on at least one of usage information regarding an object of

recognition, and specification information regarding specifications of the standard model which is to be created, in order to ensure that the system's models stay consistent with any changes to the user, as described by Junqua (col. 7, lines 42-50).

As per Claim 51, the limitations are similar to those in Claim 37, and so is rejected under similar rationale.

6. Claim 39 is rejected under 35 U.S.C. 103(a) as being unpatentable over Chang, in view of Nguyen and Junqua, as applied to Claim 37, above, and further in view of Kanevsky et al. (US 6,442,519), hereafter Kanevsky.

As per Claim 39, Chang, in view of Nguyen and Junqua, fail to teach a similarity information creating unit operable to create, based on the at least one reference model stored in said reference model storing unit and at least one of specification information regarding specifications of the standard model which is to be created, and usage information regarding an attribute which is an object of speech recognition, similarity information showing a degree of similarity to the at least one reference model and at least one of the usage information and the specification information, wherein said reference model preparing unit is operable to determine whether or not to perform at least one of an update and an addition to the plurality of reference models stored in said reference model storing unit, based on the similarity information created by said similarity creating unit ("individual user is clustered with other similar users", col. 3, line

62 – col. 4, line 9; “clustered into classes of similar users according to acoustic similarities... cluster update data”, col. 7, lines 18-40; “identified similar language models are updated”, Abstract).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify Chang, in view of Nguyen and Junqua, to include the teaching of Kanevsky of a similarity information creating unit operable to create, based on the at least one reference model stored in said reference model storing unit and at least one of specification information regarding specifications of the standard model which is to be created, and usage information regarding an attribute which is an object of speech recognition, similarity information showing a degree of similarity to the at least one reference model and at least one of the usage information and the specification information, wherein said reference model preparing unit is operable to determine whether or not to perform at least one of an update and an addition to the plurality of reference models stored in said reference model storing unit, based on the similarity information created by said similarity creating unit, in order to improve speech recognition by computers, as described by Kanevsky (col. 3, lines 9-10).

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ERIC YEN whose telephone number is (571)272-4249. The examiner can normally be reached on M-F 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Edouard can be reached on 571-272-7603. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2626

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

EY 6/12/08

/Patrick N. Edouard/

Supervisory Patent Examiner, Art Unit 2626